Miniatur-Bürsten Miniature brushes

Chungking-Borsten Chungking bristles

BELLOTTI stellt in einer großen Vielfalt von Besatzmaterialien, Formen und Durchmessern Miniatur-Bürsten her – für die unterschiedlichsten Anwendungen mit dem Handstück:

- Chunking zur Vorpolitur/Politur von Metallen und Kunststoffen
- weicher Besatz (z.B. Ziegenhaar) für Glanz/Hochglanz (mit Polierpaste für Metalle und Kunststoffe gleichermaßen geeignet)
- Längerer Besatz ist ideal für die Edelmetallpolitur
- Messing-/Stahlbesatz zum Glätten/Verdichten/Polieren von Edelmetallen und Chrom-Kobalt
- Miniaturschwabbeln für die Hochglanzpolitur
- Miniaturkelche und -pinsel für schwer zugängliche Dentalflächen, zum Ausarbeiten/Polieren von zahntechnischen Werkstücken
- Scotch Brite-Bürsten als Alternative zum Schmirgelpapier (Hohe Standzeiten, 6 Körnungen für Reinigung und Finishing, auch zur Modellherstellung von weichen Kunststoffen)
- BellfixDisc-Polyamidbürsten mit durchsetzten Schleif- und Poliermitteln in verschiedenen Körnungen für effektiven Feinschliff, Vorpolitur und Hochglanz ohne den zusätzlichen Einsatz von Schleifmitteln, Chemikalien oder Pasten
- Bellfix/Bellfila-Bürsten mit Polyamidfaser-Beschichtung: Eingebettetes Siliciumcarbid bzw. Aluminiumoxid erspart jegliche Polierpasten und -mittel. Verschiedene Körnungen und Formen (Kelch, Pinsel, Rad) für Verblendkunststoffe und Dentalkeramiken.

BELLOTTI produces these in a wide range of head materials, shapes and diameters – for the broadest range of applications with the hand piece:

- Bristles for pre-polishing/polishing of metals and plastics
- Soft head (e.g. goat hair) for polish/high gloss polish (with polishing paste for metals and plastics equally suitable for metals and plastics)
- Longer head is ideal for polishing precious metals
  Brass/steel head for smoothing/compacting/polishing of precious metals and chrome cobalt
- Miniature cloths for high gloss polishing
- Miniature cups and brushes for difficult-to-reach dental areas, for finishing/polishing of dental components
- Scotch Brite brushes as an alternative to abrasive paper (high service life, 6 grades for cleaning and finishing, also for model making from soft plastics)
- Bellfix disc polyamide brushes with integrated grinding and polishing mediums in varying grains for effective finishing, pre-polishing and high gloss without the additional use of grinding mediums, chemicals or pastes.
- Bellfix/Bellfila brushes with abrasive filament coating: embedded silicone carbide or aluminium oxide make all polishing pastes and media superfluous. Different grades and shapes (cup, brush, wheel) for plastic trim and dental ceramics.

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Farbe** color	**Härte** grade	**Schaft** shank **Ø mm**	mm
Chungking-Borsten Chungking bristles					
2000-17U	2100-17H	●	hart hard	2,34 / 3,0 / 3,175	17
2000-19U	2100-19H	●	hart hard	2,34 / 3,0 / 3,175	19
2000-21U	2100-21H	●	hart hard	2,34 / 3,0 / 3,175	21
2000-23U	2100-23H	●	hart hard	2,34 / 3,0 / 3,175	23
2000-25U	2100-25H	●	hart hard	2,34 / 3,0 / 3,175	25
2000-30U	2100-30H	●	hart hard	2,34 / 3,0 / 3,175	30
2001-17U	2101-17H	○	hart hard	2,34 / 3,0 / 3,175	17
2001-19U	2101-19H	○	hart hard	2,34 / 3,0 / 3,175	19
2001-21U	2101-21H	○	hart hard	2,34 / 3,0 / 3,175	21
2001-23U	2101-23H	○	hart hard	2,34 / 3,0 / 3,175	23
2001-25U	2101-25H	○	hart hard	2,34 / 3,0 / 3,175	25

10 12 100

VE Stück/PU pieces

10.000/min

Miniatur-Bürsten Miniature brushes

Pferdehaar / Ziegenhaar horse hair / goat hair

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Farbe** color	**Härte** grade	**Schaft** shank **Ø mm**	mm
Pferdehaar horse hair					10.000/min
2002-17U	2102-17H	●	mittel hart medium hard	2,34 / 3,0 / 3,175	17
2002-19U	2102-19H	●	mittel hart medium hard	2,34 / 3,0 / 3,175	19
2002-21U	2102-21H	●	mittel hart medium hard	2,34 / 3,0 / 3,175	21
2002-23U	2102-23H	●	mittel hart medium hard	2,34 / 3,0 / 3,175	23
2002-25U	2102-25H	●	mittel hart medium hard	2,34 / 3,0 / 3,175	25
2003-17U	2103-17H	●	mittel weich medium soft	2,34 / 3,0 / 3,175	17
2003-19U	2103-19H	●	mittel weich medium soft	2,34 / 3,0 / 3,175	19
2003-21U	2103-21H	●	mittel weich medium soft	2,34 / 3,0 / 3,175	21
2003-23U	2103-23H	●	mittel weich medium soft	2,34 / 3,0 / 3,175	23
2003-25U	2103-25H	●	mittel weich medium soft	2,34 / 3,0 / 3,175	25

10 12 100

VE Stück/PU pieces



Ziegenhaar goat hair					10.000/min
2004-17U	2104-17H	●	weich soft	2,34 / 3,0 / 3,175	17
2004-19U	2104-19H	●	weich soft	2,34 / 3,0 / 3,175	19
2004-21U	2104-21H	●	weich soft	2,34 / 3,0 / 3,175	21
2011-17U	2111-17H	○	weich soft	2,34 / 3,0 / 3,175	17
2011-19U	2111-19H	○	weich soft	2,34 / 3,0 / 3,175	19
2011-21U	2111-21H	○	weich soft	2,34 / 3,0 / 3,175	21
2011-23U	2111-23H	○	weich soft	2,34 / 3,0 / 3,175	23
2011-25U	2111-25H	○	weich soft	2,34 / 3,0 / 3,175	25



Miniatur-Bürsten Miniature brushes

Nylonfaser nylon filament

Art.-Nr. unmontiert art.-no. unmounted	Art.-Nr. montiert art.-no. mounted	Stärke thickness mm	Schaft shank Ø mm	mm
Nylonfaser nylon filament				
2021-17U	2121-17H	0,15	2,34 / 3,0 / 3,175	17
2021-19U	2121-19H	0,15	2,34 / 3,0 / 3,175	19
2021-21U	2121-21H	0,15	2,34 / 3,0 / 3,175	21
2023-17U	2123-17H	0,25	2,34 / 3,0 / 3,175	17
2023-19U	2123-19H	0,25	2,34 / 3,0 / 3,175	19
2023-21U	2123-21H	0,25	2,34 / 3,0 / 3,175	21
2023-23U	2123-23H	0,25	2,34 / 3,0 / 3,175	23
2023-25U	2123-25H	0,25	2,34 / 3,0 / 3,175	25
2024-21U	2124-21H	0,30	2,34 / 3,0 / 3,175	21

10 12 100

VE Stück/PU pieces

10.000/min



Miniatur-Bürsten Miniature brushes

Messingdraht / Stahldraht / Silberdraht — brass wire / steel wire / silver wire

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Drahtstärke** wire size **mm**	**Schaft** shank **Ø mm**	mm
Messingdraht crimped brass wire				10.000/min
2031-17U	2131-17H	0,08	2,34 / 3,0 / 3,175	17
2031-19U	2131-19H	0,08	2,34 / 3,0 / 3,175	19
2031-21U	2131-21H	0,08	2,34 / 3,0 / 3,175	21
2031-23U	2131-23H	0,08	2,34 / 3,0 / 3,175	23
2031-25U	2131-25H	0,08	2,34 / 3,0 / 3,175	25
2031-30U	2131-30H	0,08	2,34 / 3,0 / 3,175	30
2032-21U	2132-21H	0,10	2,34 / 3,0 / 3,175	21
2032-25U	2132-25H	0,10	2,34 / 3,0 / 3,175	25
2033-21U	2133-21H	0,12	2,34 / 3,0 / 3,175	21
2034-21U	2134-21H	0,15	2,34 / 3,0 / 3,175	21

10 | 12 | 100 — **VE Stück**/PU pieces

Stahldraht crimped steel wire				10.000/min
2041-17U	2141-17H	0,08	2,34 / 3,0 / 3,175	17
2041-19U	2141-19H	0,08	2,34 / 3,0 / 3,175	19
2041-21U	2141-21H	0,08	2,34 / 3,0 / 3,175	21
2041-23U	2141-23H	0,08	2,34 / 3,0 / 3,175	23
2041-25U	2141-25H	0,08	2,34 / 3,0 / 3,175	25
2042-21U	2142-21H	0,10	2,34 / 3,0 / 3,175	21
2043-21U	2143-21H	0,12	2,34 / 3,0 / 3,175	21

Silberdraht crimped silver wire				10.000/min
2051-19U	2151-19H	0,08	2,34 / 3,0 / 3,175	19
2051-21U	2151-21H	0,08	2,34 / 3,0 / 3,175	21
2052-19U	2152-19H	0,10	2,34 / 3,0 / 3,175	19
2052-21U	2152-21H	0,10	2,34 / 3,0 / 3,175	21
2053-21U	2153-21H	0,12	2,34 / 3,0 / 3,175	21

Miniatur-Bürsten — Miniature brushes

Bellfix aus abrasivem Nylon / Bellfila Siliciumcarbid / Bellfila Diamant

Bellfix in abrasive filament / Bellfila silicone carbide / Bellfila diamond

Art.-Nr. montiert art.-no. mounted	**Härte** grade	**Schaft** shank **Ø mm**	mm

10 | 12 | 100 — **VE Stück**/PU pieces

Abrasives Nylon mit Aluminiumoxid AlO abrasive filament with aluminium oxide — 10.000/min

219AF-H	fein fine	2,34 / 3,0 / 3,175	22
219AM-H	mittel medium	2,34 / 3,0 / 3,175	22
219AH-H	hart hard	2,34 / 3,0 / 3,175	22



Abrasives Nylon mit Siliciumcarbid SIC abrasive filament with silicone carbide — 10.000/min

219SKF-H	fein fine	2,34 / 3,0 / 3,175	22
219SKM-H	mittel medium	2,34 / 3,0 / 3,175	22
219SKH-H	hart hard	2,34 / 3,0 / 3,175	22



Bellfila Siliciumcarbid Bellfila silicone carbide — 10.000/min

21S1-17H	fein fine	2,34 / 3,0 / 3,175	17
21S6-17H	mittel medium	2,34 / 3,0 / 3,175	17
21S2-17H	hart hard	2,34 / 3,0 / 3,175	17
21S1-19H	fein fine	2,34 / 3,0 / 3,175	19
21S6-19H	mittel medium	2,34 / 3,0 / 3,175	19
21S2-19H	hart hard	2,34 / 3,0 / 3,175	19
21S1-21H	fein fine	2,34 / 3,0 / 3,175	21
21S6-21H	mittel medium	2,34 / 3,0 / 3,175	21
21S2-21H	hart hard	2,34 / 3,0 / 3,175	21



Bellfila Diamant Bellfila diamond — 10.000/min

21D40-17	hart hard	2,34 / 3,0 / 3,175	17
21D40-19	hart hard	2,34 / 3,0 / 3,175	19
21D40-21	hart hard	2,34 / 3,0 / 3,175	21



Miniatur-Bürsten Miniature brushes

Bellfix aus Polyamid Bellfix in polyamide

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Farbe** color	**Härte** grade	**Schaft** shank **Ø mm**	mm
Bellfix aus Polyamid Bellifx in polyamide					5.000/min
209PG14U	219PG14H	●	ultra fein ultra fine	2,34	14
209PO14U	219PO14H	●	extra fein extra fine	2,34	14
209PP14U	219PP14H	●	sehr fein very fine	2,34	14
209PB14U	219PB14H	●	fein fine	2,34	14
209PR14U	219PR14H	●	standard standard	2,34	14
209PW14U	219PW14H	○	mittel medium	2,34	14
209PHG-U	219PHG-H	●	ultra fein ultra fine	2,34	19
209PO-U	219PO-H	●	extra fein extra fine	2,34	19
209PVF-U	219PVF-H	●	sehr fein very fine	2,34	19
209PF-U	219PF-H	●	fein fine	2,34	19
209PM-U	219PM-H	●	standard standard	2,34	19
209PW-U	219PW-H	○	mittel medium	2,34	19
209PH-U	219PH-H	●	grob coarse	2,34	19



Miniatur-Bürsten Miniature brushes

Scotch Brite Scotch Brite

Art.-Nr. montiert art.-no. mounted	Farbe color	Härte grade	Schaft shank Ø mm	mm
Scotch Brite Scotch Brite				
219S1-H	○	ohne Schleifmittel without abrasive	2,34 / 3,0 / 3,175	22
219SV-H		sehr fein extra fine	2,34 / 3,0 / 3,175	22
219SF-H		fein fine	2,34 / 3,0 / 3,175	22
219S2-H		mittel fein medium fine	2,34 / 3,0 / 3,175	22
219SM-H		mittel medium	2,34 / 3,0 / 3,175	22
219S3-H		mittel grob medium coarse	2,34 / 3,0 / 3,175	22
219SH-H		hart hard	2,34 / 3,0 / 3,175	22
219S1H25	○	ohne Schleifmittel without abrasive	2,34 / 3,0 / 3,175	25
219SVH25		sehr fein extra fine	2,34 / 3,0 / 3,175	25
219SFH25		fein fine	2,34 / 3,0 / 3,175	25
219S2H25		mittel fein medium fine	2,34 / 3,0 / 3,175	25
219SMH25		mittel medium	2,34 / 3,0 / 3,175	25
219S3H25		mittel grob medium coarse	2,34 / 3,0 / 3,175	25
219SHH25		hart hard	2,34 / 3,0 / 3,175	25
219S1H30	○	ohne Schleifmittel without abrasive	2,34 / 3,0 / 3,175	30
219SVH30		sehr fein extra fine	2,34 / 3,0 / 3,175	30
219SFH30		fein fine	2,34 / 3,0 / 3,175	30
219S2H30		mittel fein medium fine	2,34 / 3,0 / 3,175	30
219SMH30		mittel medium	2,34 / 3,0 / 3,175	30
219S3H30		mittel grob medium coarse	2,34 / 3,0 / 3,175	30
219SHH30		hart hard	2,34 / 3,0 / 3,175	30

10 12 100

VE Stück/PU pieces

10.000/min



Miniatur-Schwabbeln Miniature polishing discs

Flanell / Filz / Baumwolle flannel / felt / cotton

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Lagen** discs	**Schaft** shank **Ø mm**	mm
Flanell flannel				10.000/min
209FL-U	219FL-H	6	2,34 / 3,0 / 3,175	22
209FLU25	219FLH25	6	2,34 / 3,0 / 3,175	25
Filz felt				10.000/min
209F-U	219F-H	3	2,34 / 3,0 / 3,175	22
209F-25U	219F-25H	3	2,34 / 3,0 / 3,175	25
Baumwolle cotton				10.000/min
209B-U	219B-H	–	2,34 / 3,0 / 3,175	22
209B-25U	219B-25H	–	2,34 / 3,0 / 3,175	25
209BF-U	219BF-H voll & fein full & fine	–	2,34 / 3,0 / 3,175	22

10 12 100

VE Stück/PU pieces



Miniatur-Schwabbeln Miniature polishing discs

Leder / Mako / Nessel leather / maco / muslin

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Lagen** discs	**Schaft** shank **Ø mm**	mm
Leder leather				10.000/min
209L-U	219L-H	4	2,34 / 3,0 / 3,175	22
209L-25U	219L-25H	4	2,34 / 3,0 / 3,175	25
209L-5U	219L-5H	5	2,34 / 3,0 / 3,175	22
Mako maco				10.000/min
209M-U	219M-H	15	2,34 / 3,0 / 3,175	22
209M-25U	219M-25H	15	2,34 / 3,0 / 3,175	25
	219MG-H gesteppt stiched	15	2,34 / 3,0 / 3,175	22
Nessel muslin				10.000/min
209S-U fein / fine	219S-H fein / fine	12	2,34 / 3,0 / 3,175	22
209S-25U fein / fine	219S-H fein / fine	12	2,34 / 3,0 / 3,175	25

10 12 100

VE Stück/PU pieces





Miniatur-Kelche

Chungking-Borsten / Ziegenhaar

Miniature brushes cup shaped

Chungking bristles / goat hair

10 12 100

VE Stück/PU pieces

Art.-Nr. art.-no.	**Farbe** color	**Härte** grade	**Schaft** shank Ø **mm**	mm	mm
Chungking-Borsten Chungking bristles					10.000/min
2200-H	●	hart hard	2,34	8	10
2201-H	○	hart hard	2,34	8	10
Ziegenhaar goat hair					10.000/min
2211-H	○	weich soft	2,34	8	10

Miniatur-Kelche

Nylonfaser / Messingdraht / Stahldraht / Neusilberdraht

Miniature brushes cup shaped

nylon filament, brass wire, steel wire / nickel-silver wire

Art.-Nr. art.-no.	Stärke thickness mm	Schaft shank Ø mm	mm	mm
Nylonfaser nylon filament				10.000/min
2220-H	0,10	2,34	8	10
Messingdraht, gewellt crimped brass wire				10.000/min
2231-H	0,08	2,34	8	10
2232-H	0,10	2,34	8	10
Stahldraht, gewellt crimped steel wire				10.000/min
2241-H	0,08	2,34	8	10
2242-H	0,10	2,34	8	10
Neusilberdraht, gewellt crimped nickel-silver wire				10.000/min
2251-H	0,08	2,34	8	10

10 12 100

VE Stück/PU pieces

Miniatur-Kelche

Bellfix aus abrasivem Nylon /
Bellfila Siliciumcarbid / Bellfila Diamant

Miniature brushes cup shaped

Bellfix in abrasive filament /
Bellfila silicone carbide / Bellfila diamond

10 12 100
VE Stück/PU pieces

Bellfix_Abrasives Nylon mit Aluminiumoxid AlO Bellfix_abrasive filament with aluminium oxide — 10.000/min

Art.-Nr. art.-no.	**Härte** grade	**Schaft** shank **Ø mm**	**mm**	**mm**
229AF-H	fein fine	2,34	8	10
229AM-H	mittel medium	2,34	8	10
229AH-H	hart hard	2,34	8	10

Bellfix_Abrasives Nylon mit Siliciumcarbid SIC Bellfix_abrasive filament with silicone carbide — 10.000/min

229SKF-H	fein fine	2,34	8	10
229SKM-H	mittel medium	2,34	8	10
229SKH-H	hart hard	2,34	8	10

Bellfila_Siliciumcarbid Bellfila_silicone carbide — 10.000/min

22S10-H	fein fine	2,34	8	10
22S6-H	mittel medium	2,34	8	10
22S2-H	hart hard	2,34	8	10

Bellfila_Diamant Bellfila_diamond — 10.000/min

22D40-H	fein fine	2,34	8	10

Minicup und Pinsel mit Winkelstück

Miniature cup brushes end brushes with RA

Chungking-Borsten / Nylonfaser / Siliciumcarbid

Chungking bristles / nylon filament / silicone carbide

10 12 100

VE Stück/PU pieces

Art.-Nr. art.-no.	mm	mm
Chungking-Borsten Chungking bristles		10.000/min
2291-R	5	7

Nylonfaser nylon filament		10.000/min
2293-R	5	7
2320-RS	6	5

Silicumcarbid (ohne Polierpaste) silicone carbide (without using polisihing paste)		5.000/min
22SIC-R	5	7
239SIC-R	6	5
23SIC-RS	6	5

Miniatur-Pinsel Miniature end brushes

Chungking-Borsten / Ziegenhaar — Chungking-Borsten / goat hair

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Farbe** color	**Härte** grade	**Schaft** shank **Ø mm**	mm	mm
Chungking-Borsten Chungking bristles						5.000/min
2300-U		●	hart hard	2,34 / 3,0 / 3,175	8	3
	2300-H	●	hart hard	2,34 / 3,0 / 3,175	9,5	5
2301-U		○	hart hard	2,34 / 3,0 / 3,175	8	3
	2301-H	○	hart hard	2,34 / 3,0 / 3,175	9,5	5
Ziegenhaar goat hair						5.000/min
2311-U		○	weich soft	2,34 / 3,0 / 3,175	8	3
	2311-H	○	weich soft	2,34 / 3,0 / 3,175	9,5	5

10 12 100

VE Stück/PU pieces



Miniatur-Pinsel
Miniature end brushes

Nylonfaser / Messingdraht / Stahldraht / Silberdraht

nylon filament / brass wire / steel wire / nickel-silver

Art.-Nr. unmontiert art.-no. unmounted	**Art.-Nr. montiert** art.-no. mounted	**Stärke** thickness **mm**	**Schaft** shank **Ø mm**	mm	mm	10 / 12 / 100 **VE Stück**/PU pieces
Nylonfaser nylon filament						5.000/min
	2320-H	0,15	2,34 / 3,0 / 3,175	9,5	5	
Messingdraht, gewellt crimped brass wire						5.000/min
2331-U		0,10	2,34 / 3,0 / 3,175	8	3	
	2331-H	0,08	2,34 / 3,0 / 3,175	9,5	5	
	2332-H	0,10	2,34 / 3,0 / 3,175	9,5	5	
	2333-H	0,12	2,34 / 3,0 / 3,175	9,5	5	
Stahldraht, gewellt crimped steel wire						5.000/min
	2341-H	0,08	2,34 / 3,0 / 3,175	9,5	5	
	2342-H	0,10	2,34 / 3,0 / 3,175	9,5	5	
	2343-H	0,12	2,34 / 3,0 / 3,175	9,5	5	
Silberdraht nickel-silver wire						5.000/min
	2351-H	0,08 glatt straight	2,34 / 3,0 / 3,175	9,5	5	
	2361-H	0,08 gewellt crimped	2,34 / 3,0 / 3,175	9,5	5	

Miniatur-Pinsel

Bellfix aus abrasivem Nylon /
Bellfila Siliciumcarbid / Bellfila Diamant

Miniature end brushes

Bellfix in abrasive filament /
Bellfila silicone carbide / Bellfila diamond

10 12 100

VE Stück/PU pieces

Art.-Nr. art.-no.	**Härte** grade	**Schaft** shank **Ø mm**	**mm**	**mm**
Bellfix_Abrasives Nylon mit Aluminiumoxid AlO Bellfix_abrasive filament with aluminium oxide				
239AF-H	fein fine	2,34 / 3,0 / 3,175	9,5	5
239AM-H	mittel medium	2,34 / 3,0 / 3,175	9,5	5
239AH-H	hart hard	2,34 / 3,0 / 3,175	9,5	5

Bellfix_Abrasives Nylon mit Siliciumcarbid SIC Bellfix_abrasive filament with silicone carbide				
239SKF-H	fein fine	2,34 / 3,0 / 3,175	9,5	5
239SKM-H	mittel medium	2,34 / 3,0 / 3,175	9,5	5
239SKH-H	hart hard	2,34 / 3,0 / 3,175	9,5	5

Bellfila_Siliciumcarbid Bellfila_silicone carbide				
23S10-H	fein fine	2,34 / 3,0 / 3,175	9,5	5
23S6-H	mittel medium	2,34 / 3,0 / 3,175	9,5	5
23S2-H	hart hard	2,34 / 3,0 / 3,175	9,5	5

Bellfila_Diamant Bellfila_diamond				
23D40-H	fein fine	2,34 / 3,0 / 3,175	9,5	5